

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A23C 9/13, A23L 1/24	A1	(11) International Publication Number: WO 00/54600 (43) International Publication Date: 21 September 2000 (21.09.00)
(21) International Application Number: PCT/SE00/00443 (22) International Filing Date: 7 March 2000 (07.03.00) (30) Priority Data: 9900979-7 18 March 1999 (18.03.99) SE (71) Applicant (for all designated States except US): CHRISTER LINDSTAM AB [SE/SE]; Nisbethsgatan 3, S-272 31 Simrishamn (SE). (72) Inventor; and (75) Inventor/Applicant (for US only): LINDSTAM, Christer [SE/SE]; Nisbethsgatan 3, S-272 31 Simrishamn (SE). (74) Agents: STRÖM, Tore et al.; Ström & Gulliksson AB, P.O. Box 4188, S-203 13 Malmö (SE).		(81) Designated States: AU, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: FOOD PRODUCT AND A METHOD OF PRODUCING THE SAME (57) Abstract A heat-stable acid liquid or gelled food product having a low fat content contains less than 25.5 weight % fat and comprises at least 2.0 weight % protein, at least 0.1 weight % low molecular weight carbohydrate and at least 0.1 weight % polysaccharide as a stabilizer, and fermenting microorganisms, the product having a pH which is lower than pH 5.0. The food product is produced by mixing a polysaccharide in a water solution with the protein, low molecular weight carbohydrate, and fat; adjusting the mixture to a fat content of less than 25.5 weight % by using a fat, the polysaccharide comprising at least 0.5 weight % of the final product; subjecting the mixture to pasteurization with homogenization; chilling the mixture to a temperature which is suitable fermentation; inoculating the mixture with living microorganisms, and performing fermentation at said temperature to a pH below 5.0; and aseptically filling the mixture into sterile containers.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Food product and a method of producing the same.

The invention relates to heat-stable acid liquid or gelled food product having a low fat content. The invention also refers to a method of producing such a food product.

The sedentary life of today has almost completely changed the demands made on foodstuff. Even though we presently have a lesser need of a energy rich food too much fat is still consumed. The attentive consumer nowadays demands foodstuff with low calorie value but wishes on the same time that it shall be as appetizing as traditional food.

It is nowadays customary to use products having a low fat content. However, when pH is decreased in a liquid or gelled food product having a low fat content, it is required that the proteins are stabilized in such a way that they do not separate into dry solids and whey. This is especially important when the product after such a heat treatment is intended to be heat treated again.

Normally, these products are thickened/stabilized with for example gelatin or additional protein. Alternatively, the dry matter content of the product can be increased, which is sufficient provided that the product shall not be heated, since such products are easily hydrolyzed at low pH-values and increased temperatures.

For example, an acidified food product with a fat content of 34 % can be heat treated without a separation being obtained. However, an acidified food product with a fat content of only 17 % will separate when heat treated because of the low fat content.

When serving a kebab or a pizza a sauce is often served, which is made from a fermented milk product. In this connection the sauce is spread over the hot dish, which results in that the milk proteins of the product coagulate and whey is separated. Thus, the sauce which the

consumer also "eats with his eyes" does not look very appetizing. Furthermore, the dish becomes soggy and smeary in its consistency.

5 The process usually used in a dairy for the production of a fermented products initially consists of mixing in a tank the raw materials, which comprises protein, carbohydrate, and fat, and then a stabilizer is optionally added. The mixture is then treated continuously by pumping it to a pasteurizer, in which it is preheated to a homogenization temperature, homogenized, pasteurized, and
10 chilled to a fermentation temperature. The purpose of the homogenization, which is an integral part of the pasteurization step, is to counteract the separation of whey in the product and that it becomes grainy.

15 The mixture is filled into a second tank and is inoculated with a culture of living microorganisms. The fermentation is then allowed to take place either in this tank or in a container, after being filled into the same.

20 When the fermentation takes place in the tank, the product obtained is afterwards pumped and filled into containers. The fermenting microorganisms in product obtained can also be killed by heating, and the containers subsequently being filled either directly by means of hot-filling or after decreasing the temperature.

25 All liquid or gelled products within the dairy industry are generally produced in this way. However, if not properly handled there is a risk that the final product will be a not so smooth product which has a stale and grainy profile without its desired characteristics..

30 The object of the invention is to achieve a heat-stable acid liquid or gelled food product having a low fat content whereby the above-mentioned problems are eliminated, all necessary ingredients except the culture for the fermentation being added before the heating- homogenization-pasteurization step.
35

This is achieved by the food product according to the invention has obtained the characteristics of claim 1.

A further object of the invention is to provide a simple method of producing such food products having a low fat content, which method is well adapted to be processed in a line for the production of fermented dairy products. Thus, the invention also provides a method as defined in claim 11.

By stabilizing an acidified food product with low fat content according to the invention the high fat content is compensated for, which means that the product can be cooked and thus also be used in hot cooking. Likewise, a fermented milk product in form of a sauce, which is stabilized according to the invention, becomes insensitive to the heat transferred from the dish to the sauce.

In order to obtain a heat-stable sour liquid or gelled food product having a low fat content, which comprises protein, carbohydrate, and fat, a polysaccharide or a polysaccharide containing material is mixed in a water solution having a protein content of at least 2.0 weight%, a low molecular weight carbohydrate content of at least 0.1 weight% and a fat content of at least 0.1 weight%. The mixture is then by means of a fat adjusted to a fat content which is less than 25.5 weight%, the polysaccharide representing at least 0.5 weight% of the final product, and the pH is lowered to a value of less than pH 5.0.

Of course, instead of mixing the stabilizer in the form of polysaccharide with a milk component the stabilizer can first be mixed in water and then for example a milk powder can be added. In order to avoid problems of lump formation the polysaccharide can likewise be mixed with a portion of the fat before it is mixed with the water solution.

Thus, the stabilizer is added to a liquid medium, for example milk or cream. If only solid components and water

are used the order of mixing is not of any significance. Optional spices and other flavoring agents can be added to the product after the fermentation procedure.

5 In this connection heat-stable means that the inventive food product can be heated to the boiling point without separation and that it can be used on a dish to be gratinated in an oven at about 250 °C without its stability being lost by impaired consistency due to reduced homogeneity or viscosity.

10 Furthermore, a low molecular weight carbohydrate means carbohydrates which mainly are mono- and/or disaccharides having a small amount of saccharide monomers of up to six monomers. Preferably, different types of milk are used.

15 In order to obtain a heat-stable product the stabilizers, which according to the invention are added to a food product having a low fat content, which is intended for a low pH and comprises protein, carbohydrate, and fat, must be able to swell upon contact with water as well as bind proteins so that they do not precipitate when the
20 product is heated.

Preferably, the polysaccharide comprises between 0.1 and 5 weight% of the final food product. The polysaccharide is added in proportion to the final fat content in the product. For example, the polysaccharide comprises 1.6
25 weight% of the product when the fat content is 17 weight%.

Suitable stabilizers are polysaccharides which for example are starch, pectin, xanthan gum, guar gum (guar flour), fruit seed flour, agar, carrageenan, and carboxymethylcellulose in combination or separately. Preferably,
30 the stabilizing polysaccharide is starch (e.g. corn starch), most preferably a mixture of starch and guar. The most preferred polysaccharide stabilizer is composed of 1.5 weight% starch and 0.1 weight% guar gum.

Animal fat in the inventive food product can completely or partly be replaced by vegetable fat. Likewise,
35

the water-soluble protein portion from milk can completely or partly be replaced by for example vegetable proteins.

The costs for the stabilization is considerably lower than the fat content compensated for (e.g. the difference
5 between 34 and 17 % fat), which for the consumer results in a cheaper and "slimmer" product.

In order to achieve a higher viscosity in for example a heat-stable garlic dressing (cooking yogurt) the dry matter content of the product can be increased by adding an
10 oligosaccharide, i.e. maltodextrin.

I the method according to the invention all the essential ingredients are added before the general pasteurization with homogenization and subsequent fermentation within the dairy industry. This also applies for the same
15 product with a long shelf life. The only exception is when the product needs extra flavoring, which takes place after the fermentation.

Thus, in the inventive method the raw materials are first mixed and then continuously heated to the homogenization temperature, homogenized, pasteurized at 90-95 °C for
20 2-5 min, the temperature then being brought to the fermentation temperature. The pasteurization is primarily intended to provide adequate conditions for the fermenting microorganisms.

25 The mixture is inoculated with the suitable micro-organism or microorganisms, and the pH is lowered to a pH below 5. This can take place either in a tank or in a packed container.

When the product is fermented and/or its pH is lowered in a tank, other ingredients may be added before a
30 second pasteurization (80 °C for 30 s), the product then being packed aseptically with all its ingredients in an acid environment.

In process lines for the production of fermented
35 products there is almost always a homogenizer which can

work at a pressure up to 220-250 bar. However, this is not necessary in order to achieve a satisfactory result when producing a heat-stable product according to the invention. When a homogenization is necessary, it can be performed at
5 a pressure which is less than 200 bar and even at such a low pressure as 10-20 bar. The homogenization is preferably performed before the lowering of pH.

For example, starch and guar are mixed in a cream having a fat content of 17 %. The mixture is homogenized,
10 pasteurized and then fermented. However, if a long shelf life is required second pasteurization is necessary. Another homogenization step is not necessary.

The adjusted mixture can then be processed according to usual methods and chilled to a temperature which is
15 suitable for fermentation.

The lowering of the pH is achieved by processing the mixture as when producing products which are intended to be fermented, and the temperature of the mixture is set at a suitable temperature for living microorganisms, living mi-
20 croorganisms then being added and fermentation being performed at said temperature. The purpose of the inoculated microorganisms is that they shall dominate the final product. Preferably, the living microorganisms are those bacteria which usually are used within the food industry for
25 the fermentation of food.

Examples of useful microorganisms in the inventive method are mesophilic and thermophilic microorganisms such as *Streptococcus lactis*, *S. cremoris*, *S. diacetylactis*, *S. thermophilus*, *S. reuteri*, *S. plantarum*, *Leuconostoc*
30 *citrovorum*, *Lactobacillus bulgaris*, *L. casei*, *L. acidophilus*, *L. brevis*, *Bifidobacterium*, and *Saccharomyces kefir*. These organisms can be used alone or in combinations, for example *Saccharomyces kefir* together with *Lactobacillus brevis*. Other examples are *Streptococcus*
35 *lactis* or *S. cremoris* in combination with *Leuconostoc*

citrovorum and *S. diacetylactis* as well as *Lactobacillus bulgaris* and *Streptococcus thermophilus*.

The lowering of pH can also be achieved by adding an acid to the mixture. Preferably, the acid is citric acid or lactic acid.

Preferably, the inoculated mixture is gelled in its container with the inventive stabilizer. In this case it is preferred that the stabilizer is starch only or a mixture of starch with guar gum.

In this connection a gelled product means a fermented or acidified product. If the gel of such an already gelled product is broken it will become more or less liquid. Thus, a product will ultimately obtain liquid properties if it is fermented (acidified) in a tank and later pumped to a container for distribution.

It is also possible to produce a product which is liquid in its container. In this case the fermentation is performed in a tank and the contents are pumped into a container.

Then the product is chilled. A product that also can comprise a living bacterial culture can also be distributed chilled.

A fermented product according to the invention can without being separated be heated again in order to kill the bacterial culture, preferably by heating the product, i.e. by pasteurizing at 80 °C for 30 s without the stability being lost. This results in that the product can be filled into a container and obtain a prolonged durability.

In order to obtain a sufficient shelf life at room temperature the product is subjected to a continuous heating at 80 °C for 30 s, the product then being packed aseptically. This means that the product must not be reinfected after the pasteurization or during the packaging. The heat treatment used is only sufficient to kill microorganisms

yeast and fungi, which are able to live in an acid environment.

5 A product fermented according to the invention in a sealed container can after the fermentation be placed in a room at high temperature conditions in order to kill yeast and fungi, a prolonged stability of the product being obtained.

10 A product fermented according to the invention in a tank can also be hot filled into a container, the container then being sealed and cooled to ambient temperature or below. A product processed in this way will not be reinfected and will have an extended shelf life at room temperature.

15 The product according to the invention is not intended to be sterilized and thus not to be packed as a non-perishable article.

A great advantage of the product according to the present invention is that it can be handled and processed by using available equipment both during the processing itself and in connection with packaging and distribution.

20 It is representative of the invention that the product has a fat content which is less than 25.5 weight% and that it can be heated to the boiling point several times without any separation of water and protein. The product is also excellent for use in a gratinated dish.

25 The stabilized product can be used as it is or for making traditional sauces, however, with a low fat content, such as hollandaise sauce, béarnaise sauce, etc., in which it is required to lower the pH with for example wine-vinegar or lemon juice. By the product being stabilized according to the invention it is also able to stand a low pH, pH 30 4.5 or less, when heated.

35 However, another important aspect is that additional protein, for example an egg, can be added to the product by the consumer in order to obtain a more viscous consistency and stable cooking properties when heat treated.

Thus, further protein can be added to the inventive food product on at least two occasions without the separation of proteins during heat treatment of the product. Firstly, after the fermentation, the microorganisms in the product subsequently being killed and the product being packed. Secondly, by the consumer - either to a gelled or to a liquid food product - for the cooking of for example a high-protein sauce .

10 EXAMPLES

The invention will now be further described and illustrated by reference to the following examples. It should be noted, however, that these examples should not be construed as limiting the invention in any way.

15 The examples are based on a heat stable crème fraiche having a fat content of 17 %.

The following ingredients are mixed in a tank at a temperature of less than 20 °C in order to obtain a stabilized mixture.

20	Skim milk	559 kg
	Cream (40 %)	425 kg
	Fermigel*	16 kg

*Trade name for starch only or in combination with e.g. guar gum.

25 The fat in the form of cream can completely or partly be replaced by vegetable oils or vegetable fat. Likewise, the milk protein can completely or partly be replaced by vegetable protein.

30 The mixing is continued until all ingredients are homogeneously distributed. The stabilized mixture has slightly higher viscosity than milk of 3 % fat or coffee cream of 12 % fat.

Example 1. Production of a heat-stable sour liquid food product having a low fat content.

The stabilized mixture is continuously homogenized and pasteurized by means of heating to a temperature of 90-
5 95 °C at a holding time of 3-5 min. Then the pasteurized mixture is chilled to the fermentation temperature of the lactic acid bacteria used and transferred to a fermentation tank.

The contents of the tank is inoculated with a culture
10 of lactic acid bacteria in a customary way and fermentation is allowed to proceed until a pH below 5 is obtained. Flavoring agents may then be optionally added.

The fermented product is packed into containers. The product is chilled to a temperature of less than 10 °C ei-
15 ther on its way to the packaging machine or in the containers, which are placed in a refrigerating chamber.

Example 2. Production of a heat-stable sour gelled food product having a low fat content.

20 The stabilized mixture is continuously homogenized, pasteurized, chilled, and inoculated with lactic acid bacteria as in Example 1.

The inoculated mixture is pumped to a packaging machine and filled into containers. The containers are placed
25 in a tempered room at a temperature of the lactic acid bacteria used and fermentation is allowed to proceed until a pH below 5 is obtained. The containers are then chilled to a temperature of less than 10 °C in a refrigerating chamber.

30 These two types of final products in the containers intended for consumers, which are obtained in Example 1 and 2, i.e. either liquid or gelled products, respectively, contain not only 17 % fat but also living microorganisms.
35 The products are boiling-resistant and can be flavored by the consumers with different species, acids, broths, and

oils. It is also possible for the consumer to add an egg yolk when preparing for example a mayonnaise as well as a Béarnaise sauce or a Hollandaise sauce. These sauces can also be poured over a dish of meat or fish and gratinated in an oven. These two types of final products of low fat content - which can be boiled - can of course also be used as traditional products without heat resistant properties i.e. for the preparation of sauces and dressings, which are not intended to be heat treated.

Example 3. Production of a heat-stable sour liquid food product having a low fat content and a long shelf life.

The stabilized mixture is continuously homogenized, pasteurized, chilled, inoculated with lactic acid bacteria and fermented as in Example 1. At this stage additional protein can be added to the fermented mixture. Furthermore, flavoring agents may also be added.

The fermenting microorganisms in the fermented mixture are then killed by means of a continuous pasteurization, the mixture being heat treated at about 80 °C for about 30 s. The final product is continuously chilled to 35-40 °C and then hotfilled under aseptic conditions in sterile containers which after filling are sealed in such a way that while stored before being consumed the product is not reinfected by harmful micro-organisms.

In this way the final product obtains a prolonged shelf life of several months at room temperature by the product being subjected to a heat treatment in order to completely kill or inactivate microorganisms present in the foodstuff.

Also this product in the form of a heat-stable sour liquid food product of 17 % fat can be repeatedly heat treated by the consumer and used for the preparation of different sauces.

CLAIMS

1. Heat-stable acid liquid or gelled food product having a low fat content, c h a r a c t e r i z e d in that the product contains less than 25.5 weight% fat and comprises at least 2.0 weight% protein, at least 0.1 weight% low molecular weight carbohydrate and at least 0.1 weight% polysaccharide as a stabilizer, and fermenting microorganisms, the product having a pH which is lower than pH 5.0.

2. Food product as in claim 1, c h a r a c t e r i z e d in that the polysaccharide is starch, pectin, xanthan, guar gum, agar, carrageenan, carboxy-methyl-cellulose or mixtures thereof.

3. Food product as in claim 1 or 2, c h a r a c t e r i z e d in that the polysaccharide comprises between 0.1 and 5 weight% of the product.

4. Food product as in claim 3, c h a r a c t e r i z e d in that when the fat content is 17 weight% the polysaccharide is 1.6 weight% of the product.

5. Food product as in claim 4, c h a r a c t e r i z e d in that polysaccharide is composed of 1.5 weight% starch and 0.1 weight% guar gum.

6. Food product as in any of claims 1-5, c h a r a c t e r i z e d in that the fat is completely or partly of animal origin.

7. Food product as in any of claims 1-5, c h a r a c t e r i z e d in that the fat is completely or partly of vegetable origin.

8. Food product as in any of claims 1-5, c h a r a c t e r i z e d in that the protein is completely or partly of animal origin.

9. Food product as in any of claims 1-5, c h a r a c t e r i z e d in that the protein is completely or partly of vegetable origin.

10. Food product as in any of claims 14-20, c h a -
r a c t e r i z e d in that the fermenting microorganisms
are killed.

11. Method of producing a heat-stable acid liquid or
5 gelled food product having a low fat content, which com-
prises protein, carbohydrate and fat, c h a r a c t e r -
i z e d in that
a polysaccharide is mixed in a water solution having a pro-
tein content of at least 2.0 weight%, a low molecular
10 weight carbohydrate content of at least 0.1 weight%, and a
fat content of at least 0.1 weight% of the final product;
the mixture by using a fat is adjusted to a fat content of
less than 25.5 weight%, the polysaccharide comprising at
least 0.5 weight% of the final product;
15 the mixture is subjected to pasteurization with homogeniza-
tion;
the mixture is chilled to a temperature which is suitable
fermentation;
the mixture is inoculated with living microorganisms and
20 fermentation is performed at said temperature to a pH below
5.0; and
the mixture is aseptically filled into sterile containers.

12. Method as in claim 11, c h a r a c t e r -
i z e d in that the pasteurization with homogenization
25 are procedures generally used for the processing of fer-
mented dairy products.

13. Method as in claim 11 or 12, c h a r a c t e r -
i z e d in that the polysaccharide is mixed with a
portion of the fat before it is mixed with the water solu-
30 tion.

14. Method as in any of claims 11-13, c h a r a c -
t e r i z e d in that the homogenization of the mixture
is performed at a pressure of less than 200 bar.

15. Method as in any of claims 11-14, c h a r a c -
35 t e r i z e d in that the fermentation of the mixture is

performed in the containers, a gelled food product being obtained in the same.

16. Method as in any of claims 11-14, c h a r a c -
t e r i z e d in that the fermentation of the mixture is
5 performed before it is filled into the containers, a liquid
food product being obtained in the same.

17. Method as in any of claims 11-16, c h a r a c -
t e r i z e d in that the microorganisms are bacteria.

18. Method as in claim 16, c h a r a c t e r -
10 i z e d in that after the fermentation the microorganisms
in the product are killed by means of heating the product
before it is filled into the containers.

19. Method as in any of claims 11-18, c h a r a c -
t e r i z e d in that additional protein is added to the
15 food product obtained in the containers.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 00/00443

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A23C 9/13, A23L 1/24

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A23C, A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0187575 A2 (COOPERATIVE LAITIERE CENTRALE DE PARIS), 16 July 1986 (16.07.86) --	
A	GB 1527526 A (WANDER LTD.), 4 October 1978 (04.10.78) --	
A	EP 0049927 A1 (DMV-CAMPINA B.V.), 21 April 1982 (21.04.82) -- -----	

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

16 June 2000

Date of mailing of the international search report

17-07-2000

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Eva Johansson
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT
Information on patent family members

02/12/99

International application No.
PCT/SE 00/00443

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0187575 A2	16/07/86	AT 50114 T FR 2573959 A,B	15/02/90 06/06/86
GB 1527526 A	04/10/78	CH 613608 A DE 2607092 A FR 2302051 A,B JP 51110072 A	15/10/79 02/09/76 24/09/76 29/09/76
EP 0049927 A1	21/04/82	SE 0049927 T3 AT 11864 T NL 8005515 A	15/03/85 03/05/82